

PT2 M

POMPY LINIOWE STANDARDOWE JEDNOFAZOWE

n=2900min⁻¹ USZCZELNIENIE MECHANICZNE BAQE

NOWOŚĆ



Typ pompy	Silnik [kW]	Napięcie [V]	Przyłącza	Numer katalogowy	Kategoria dostaw	Grupa rabatowa	Cena EUR
PT2 25/50 M	0.12	1~230-240	DN 25	A040-025-050-02	C	BC	397
PT2 25/90 M	0.25	1~230-240	DN 25	A040-025-090-02	C	BC	520
PT2 32/50 M	0.12	1~230-240	DN 32	A040-032-050-02	C	BC	474
PT2 32/60 M	0.25	1~230-240	DN 32	A037-032-060-02	C	BC	621
PT2 32/90 M	0.25	1~230-240	DN 32	A040-032-090-02	C	BC	584
PT2 32/120 M	0.25	1~230-240	DN 32	A037-032-120-02	C	BC	750
PT2 32/150 M	0.37	1~230-240	DN 32	A037-032-150-02	C	BC	750
PT2 32/180 M	0.55	1~230-240	DN 32	A037-032-180-02	C	BC	836
PT2 32/200 M	1.1	1~230-240	DN 32	A024-032-200-02	C	BC	1 120
PT2 32/230 M	0.75	1~230-240	DN 32	A037-032-230-02	C	BC	930
PT2 32/250 M	1.5	1~230-240	DN 32	A024-032-250-02	C	BC	1 235
PT2 40/50 M	0.12	1~230-240	DN 40	A040-040-050-02	C	BC	587
PT2 40/60 M	0.25	1~230-240	DN 40	A037-040-060-02	C	BC	691
PT2 40/90 M	0.25	1~230-240	DN 40	A040-040-090-02	C	BC	717
PT2 40/120 M	0.37	1~230-240	DN 40	A037-040-120-02	C	BC	840
PT2 40/180 M	0.55	1~230-240	DN 40	A037-040-180-02	C	BC	974
PT2 40/190 M	0.75	1~230-240	DN 40	A037-040-190-02	C	BC	1 012
PT2 40/230 M	1.1	1~230-240	DN 40	A037-040-230-02	C	BC	1 041
PT2 40/270 M	1.5	1~230-240	DN 40	A037-040-270-02	C	BC	1 125
PT2 50/60 M	0.25	1~230-240	DN 50	A037-050-060-02	C	BC	840
PT2 50/120 M	0.55	1~230-240	DN 50	A037-050-120-02	C	BC	1 016
PT2 50/160 M	1.1	1~230-240	DN 50	A024-050-160-04	C	BC	1 256
PT2 50/180 M	0.75	1~230-240	DN 50	A037-050-180-02	C	BC	1 131
PT2 50/190 M	1.5	1~230-240	DN 50	A024-050-190-03	C	BC	1 349
PT2 65/60 M	0.55	1~230-240	DN 65	A037-065-060-02	C	BC	1 007
PT2 65/120 M	1.1	1~230-240	DN 65	A037-065-120-02	C	BC	1 249
PT2 65/180 M	1.5	1~230-240	DN 65	A037-065-180-02	C	BC	1 349
PT2 80/120 M PN6	1.1	1~230-240	DN 80	A037-080-120-03	C	BC	1 548
PT2 80/120 M PN10	1.1	1~230-240	DN 80	A037-080-120-04	C	BC	1 548

PT1

POMPY LINIOWE STANDARDOWE TRÓJFAZOWE

n=1450min⁻¹ USZCZELNIENIE MECHANICZNE BAQE

NOWOŚĆ



Typ pompy	Silnik [kW]	Napięcie [V]	Przyłącza	Numer katalogowy	Kategoria dostaw	Grupa rabatowa	Cena EUR
PT1 32/30	0.12	3~400-415	DN 32	A036-032-030-01	C	BC	477
PT1 32/40	0.25	3~400-415	DN 32	A036-032-040-01	C	BC	578
PT1 32/60	0.25	3~400-415	DN 32	A036-032-060-01	C	BC	592
PT1 32/80	0.25	3~400-415	DN 32	A024-032-080-01	C	BC	955
PT1 32/100	0.37	3~400-415	DN 32	A024-032-100-01	C	BC	973
PT1 32/120	0.55	3~400-415	DN 32	A024-032-120-01	C	BC	1 006
PT1 40/30	0.12	3~400-415	DN 40	A036-040-030-01	C	BC	570
PT1 40/60	0.25	3~400-415	DN 40	A036-040-060-01	C	BC	701
PT1 40/90	0.25	3~400-415	DN 40	A036-040-090-01	C	BC	702
PT1 40/100	0.55	3~400-415	DN 40	A024-040-100-01	C	BC	1 095
PT1 40/130	0.75	3~400-415	DN 40	A024-040-130-01	C	BC	1 121
PT1 40/160	1.1	3~400-415	DN 40	A024-040-160-01	C	BC	1 299



PT1 POMPY LINIOWE STANDARDOWE TRÓJFAZOWE

n=1450min⁻¹ USZCZELNIENIE MECHANICZNE BAQE

Typ pompy	Silnik [kW]	Napięcie [V]	Przyłącza	Numer katalogowy	Kategoria dostaw	Grupa rabatowa	Cena EUR
PT1 50/30	0.25	3~400-415	DN 50	A036-050-030-01	C	BC	711
PT1 50/60	0.37	3~400-415	DN 50	A036-050-060-01	C	BC	878
PT1 50/90	0.55	3~400-415	DN 50	A024-050-090-01	C	BC	1 177
PT1 50/110	0.75	3~400-415	DN 50	A024-050-110-01	C	BC	1 304
PT1 50/130	1.1	3~400-415	DN 50	A024-050-130-01	C	BC	1 327
PT1 50/160	1.5	3~400-415	DN 50	A024-050-160-01	C	BC	1 350
PT1 50/190	2.2	3~400-415	DN 50	A024-050-190-02	C	BC	1 401
PT1 50/230	3.0	3~400-415	DN 50	A024-050-230-01	C	BC	1 531
PT1 65/30	0.25	3~400-415	DN 65	A036-065-030-01	C	BC	894
PT1 65/60	0.55	3~400-415	DN 65	A036-065-060-01	C	BC	1 072
PT1 65/90	0.75	3~400-415	DN 65	A024-065-090-01	C	BC	1 324
PT1 65/110	1.1	3~400-415	DN 65	A024-065-110-01	C	BC	1 375
PT1 65/130	1.5	3~400-415	DN 65	A024-065-130-01	C	BC	1 452
PT1 65/150	2.2	3~400-415	DN 65	A024-065-150-01	C	BC	1 574
PT1 65/170	3.0	3~400-415	DN 65	A024-065-170-01	C	BC	1 643
PT1 65/240	4.0	3~400-415	DN 65	A024-065-240-01	C	BC	1 887
PT1 80/30 PN6	0.37	3~400-415	DN 80	A036-080-030-01	C	BC	1 205
PT1 80/30 PN10	0.37	3~400-415	DN 80	A036-080-030-02	C	BC	1 205
PT1 80/60 PN6	0.75	3~400-415	DN 80	A036-080-060-01	C	BC	1 376
PT1 80/60 PN10	0.75	3~400-415	DN 80	A036-080-060-02	C	BC	1 376
PT1 80/70	1.1	3~400-415	DN 80	A024-080-070-01	C	BC	1 401
PT1 80/90	1.5	3~400-415	DN 80	A024-080-090-01	C	BC	1 477
PT1 80/110	2.2	3~400-415	DN 80	A024-080-110-01	C	BC	1 605
PT1 80/150	3.0	3~400-415	DN 80	A024-080-150-01	C	BC	1 681
PT1 80/170	4.0	3~400-415	DN 80	A024-080-170-01	C	BC	2 114
PT1 80/240	5.5	3~400-415	DN 80	A024-080-240-02	C	BC	2 421
PT1 80/270	7.5	3~400-415	DN 80	A024-080-270-01	C	BC	2 612
PT1 80/340	11.0	3~400-415	DN 80	A024-080-340-01	C	BC	3 101
PT1 100/30 PN6	0.55	3~400-415	DN 100	A036-100-030-01	C	BC	1 551
PT1 100/30 PN10	0.55	3~400-415	DN 100	A036-100-030-02	C	BC	1 551
PT1 100/60 PN6	1.1	3~400-415	DN 100	A036-100-060-01	C	BC	1 639
PT1 100/60 PN10	1.1	3~400-415	DN 100	A036-100-060-02	C	BC	1 639
PT1 100/70	1.5	3~400-415	DN 100	A024-100-070-01	C	BC	1 899
PT1 100/90	2.2	3~400-415	DN 100	A024-100-090-01	C	BC	2 059
PT1 100/110	3.0	3~400-415	DN 100	A024-100-110-01	C	BC	2 193
PT1 100/130	4.0	3~400-415	DN 100	A024-100-130-01	C	BC	2 460
PT1 100/170	5.5	3~400-415	DN 100	A024-100-170-01	C	BC	2 787
PT1 100/190	5.5	3~400-415	DN 125/DN 100	A038-100-190-01	C	BC	9 882
PT1 100/200	7.5	3~400-415	DN 100	A024-100-200-02	C	BC	3 097
PT1 100/220	7.5	3~400-415	DN 125/DN 100	A038-100-220-01	C	BC	10 073
PT1 100/250	11.0	3~400-415	DN 100	A024-100-250-02	C	BC	3 660
PT1 100/260	11.0	3~400-415	DN 125/DN 100	A038-100-260-01	C	BC	10 437
PT1 100/270	11.0	3~400-415	DN 125/DN 100	A038-100-270-01	C	BC	11 769
PT1 100/320	15.0	3~400-415	DN 125/DN 100	A038-100-320-01	C	BC	12 176
PT1 100/330	15.0	3~400-415	DN 100	A024-100-330-01	C	BC	4 166
PT1 100/370	18.5	3~400-415	DN 100	A024-100-370-01	C	BC	4 622
PT1 100/380	18.5	3~400-415	DN 125/DN 100	A038-100-380-01	C	BC	12 511
PT1 100/410	22.0	3~400-415	DN 100	A024-100-410-01	C	BC	5 118
PT1 100/420	22.0	3~400-415	DN 125/DN 100	A038-100-420-01	C	BC	12 918

PT1 POMPY LINIOWE STANDARDOWE TRÓJFAZOWE

n=1450min⁻¹ USZCZELNIENIE MECHANICZNE BAQE



Typ pompy	Silnik [kW]	Napięcie [V]	Przyłącza	Numer katalogowy	Kategoria dostaw	Grupa rabatowa	Cena EUR
PT1 125/110	4.0	3~400-415	DN 125	A024-125-110-01	C	BC	2 674
PT1 125/130	5.5	3~400-415	DN 125	A024-125-130-01	C	BC	2 872
PT1 125/150	7.5	3~400-415	DN 150/DN 125	A038-125-150-01	C	BC	11 988
PT1 125/160	7.5	3~400-415	DN 125	A024-125-160-01	C	BC	3 800
PT1 125/200	11.0	3~400-415	DN 150/DN 125	A038-125-200-01	C	BC	12 352
PT1 125/210	11.0	3~400-415	DN 125	A024-125-210-01	C	BC	3 941
PT1 125/240	15.0	3~400-415	DN 150/DN 125	A038-125-240-01	C	BC	12 758
PT1 125/250	15.0	3~400-415	DN 125	A024-125-250-01	C	BC	4 364
PT1 125/280	15.0	3~400-415	DN 150/DN 125	A038-125-280-01	C	BC	12 749
PT1 125/310	18.0	3~400-415	DN 150/DN 125	A038-125-310-01	C	BC	13 084
PT1 125/320	18.5	3~400-415	DN 125	A024-125-320-01	C	BC	4 791
PT1 125/360	22.0	3~400-415	DN 125	A024-125-360-01	C	BC	5 258
PT1 125/370	22.0	3~400-415	DN 150/DN 125	A038-125-370-01	C	BC	13 490
PT1 125/420	30.0	3~400-415	DN 125	A024-125-420-01	C	BC	5 774
PT1 125/430	30.0	3~400-415	DN 150/DN 125	A038-125-430-01	C	BC	13 978
PT1 150/130	7.5	3~400-415	DN 150	A024-150-130-01	C	BC	4 223
PT1 150/160	11.0	3~400-415	DN 150	A024-150-160-01	C	BC	4 504
PT1 150/200	15.0	3~400-415	DN 150	A024-150-200-01	C	BC	4 927
PT1 150/220	18.5	3~400-415	DN 150	A024-150-220-01	C	BC	5 242
PT1 150/240	18.5	3~400-415	DN 200/DN 150	A038-150-240-01	C	BC	14 447
PT1 150/250	22.0	3~400-415	DN 150	A024-150-250-01	C	BC	5 596
PT1 150/260	18.5	3~400-415	DN 150	A024-150-260-01	C	BC	5 799
PT1 150/270	22.0	3~400-415	DN 200/DN 150	A038-150-270-01	C	BC	14 854
PT1 150/280	22.0	3~400-415	DN 150	A024-150-280-01	C	BC	6 068
PT1 150/320	30.0	3~400-415	DN 200/DN 150	A038-150-320-01	C	BC	15 342
PT1 150/340	30.0	3~400-415	DN 150	A024-150-340-01	C	BC	6 871
PT1 150/350	37.0	3~400-415	DN 200/DN 150	A038-150-350-01	C	BC	15 940
PT1 150/390	37.0	3~400-415	DN 150	A024-150-390-01	C	BC	7 928
PT1 150/430	45.0	3~400-415	DN 200/DN 150	A038-150-430-01	C	BC	19 429
PT1 150/530	55.0	3~400-415	DN 200/DN 150	A038-150-530-01	C	BC	20 644
PT1 150/650	75.0	3~400-415	DN 200/DN 150	A038-150-650-01	C	BC	21 858
PT1 200/180	22.0	3~400-415	DN 200	A024-200-180-01	C	BC	7 284
PT1 200/220	30.0	3~400-415	DN 200	A024-200-220-01	C	BC	8 086
PT1 200/250	37.0	3~400-415	DN 200	A024-200-250-01	C	BC	9 022
PT1 200/270	30.0	3~400-415	DN 250/DN 200	A038-200-270-01	C	BC	17 484
PT1 200/270	45.0	3~400-415	DN 200	A024-200-270-01	C	BC	9 513
PT1 200/280	37.0	3~400-415	DN 250/DN 200	A038-200-280-01	C	BC	18 082
PT1 200/320	55.0	3~400-415	DN 200	A024-200-320-01	C	BC	10 371
PT1 200/330	37.0	3~400-415	DN 200	A024-200-330-01	C	BC	9 386
PT1 200/360	45.0	3~400-415	DN 200	A024-200-360-01	C	BC	9 878
PT1 200/380	45.0	3~400-415	DN 250/DN 200	A038-200-380-01	C	BC	19 551
PT1 200/400	55.0	3~400-415	DN 200	A024-200-400-01	C	BC	10 614
PT1 200/410	75.0	3~400-415	DN 200	A024-200-410-01	C	BC	11 470
PT1 200/420	55.0	3~400-415	DN 250/DN 200	A038-200-420-01	C	BC	19 981
PT1 200/450	55.0	3~400-415	DN 200	A038-200-450-01	C	BC	23 424
PT1 200/470	75.0	3~400-415	DN 200	A024-200-470-01	C	BC	11 956
PT1 200/510	75.0	3~400-415	DN 250/DN 200	A038-200-510-01	C	BC	25 285
PT1 200/530	90.0	3~400-415	DN 200	A024-200-530-01	C	BC	13 783
PT1 200/560	90.0	3~400-415	DN 250/DN 200	A038-200-560-01	C	BC	26 653
PT1 200/590	110.0	3~400-415	DN 200	A024-200-590-01	C	BC	16 526
PT1 200/620	110.0	3~400-415	DN 250/DN 200	A038-200-620-01	C	BC	29 887
PT1 200/660	132.0	3~400-415	DN 200	A024-200-660-01	C	BC	20 901



PT1 POMPY LINIOWE STANDARDOWE TRÓJFAZOWE

n=1450min⁻¹ USZCZELNIENIE MECHANICZNE BAQE

Typ pompy	Silnik [kW]	Napięcie [V]	Przyłącza	Numer katalogowy	Kategoria dostaw	Grupa rabatowa	Cena EUR
PT1 250/270	45.0	3~400-415	DN 250/DN 300	A038-250-270-01	C	BC	23 464
PT1 250/280	45.0	3~400-415	DN 250/DN 300	A038-250-280-01	C	BC	18 554
PT1 250/310	55.0	3~400-415	DN 250/DN 300	A038-250-310-01	C	BC	19 553
PT1 250/320	55.0	3~400-415	DN 250/DN 300	A038-250-320-01	C	BC	24 185
PT1 250/370	75.0	3~400-415	DN 250/DN 300	A038-250-370-01	C	BC	25 627
PT1 250/390	75.0	3~400-415	DN 250/DN 300	A038-250-390-01	C	BC	21 415
PT1 250/490	90.0	3~400-415	DN 250/DN 300	A038-250-490-02	C	BC	30 334
PT1 250/540	110.0	3~400-415	DN 250/DN 300	A038-250-540-01	C	BC	32 498
PT1 250/600	132.0	3~400-415	DN 250/DN 300	A038-250-600-01	C	BC	34 077
PT1 250/660	160.0	3~400-415	DN 250/DN 300	A038-250-660-01	C	BC	36 416
PT1 300/590	200.0	3~400-415	DN 350/DN 300	A038-300-590-01	C	BC	43 052
PT1 300/670	250.0	3~400-415	DN 350/DN 300	A038-300-670-01	C	BC	53 112
PT1 300/750	315.0	3~400-415	DN 350/DN 300	A038-300-750-01	C	BC	61 850
PT1 400/470	315.0	3~400-415	DN 500/DN 400	A038-400-470-01	C	BC	81 790
PT1 400/510	355.0	3~400-415	DN 500/DN 400	A038-400-510-01	C	BC	87 144
PT1 400/540	400.0	3~400-415	DN 500/DN 400	A038-400-540-01	C	BC	91 578
PT1 400/670	500.0	3~400-415	DN 500/DN 400	A038-400-670-01	C	BC	84 915
PT1 400/720	560.0	3~400-415	DN 500/DN 400	A038-400-720-01	C	BC	111 698
PT1 400/760	630.0	3~400-415	DN 500/DN 400	A038-400-760-01	C	BC	119 092

PT2 POMPY LINIOWE STANDARDOWE TRÓJFAZOWE

n=2900min⁻¹ USZCZELNIENIE MECHANICZNE BAQE



Typ pompy	Silnik [kW]	Napięcie [V]	Przyłącza	Numer katalogowy	Kategoria dostaw	Grupa rabatowa	Cena EUR
PT2 25/50	0.12	3~400-415	G 1"	A040-025-050-01	C	BC	345
PT2 25/90	0.25	3~400-415	G 1"	A040-025-090-01	C	BC	408
PT2 32/50	0.12	3~400-415	G 1 1/4"	A040-032-050-01	C	BC	422
PT2 32/60	0.18	3~400-415	DN 32	A037-032-060-01	C	BC	509
PT2 32/90	0.25	3~400-415	G 1 1/4"	A040-032-090-01	C	BC	472
PT2 32/120	0.37	3~400-415	DN 32	A037-032-120-01	C	BC	638
PT2 32/150	0.37	3~400-415	DN 32	A037-032-150-01	C	BC	638
PT2 32/180	0.55	3~400-415	DN 32	A037-032-180-01	C	BC	724
PT2 32/200	1.1	3~400-415	DN 32	A024-032-200-01	C	BC	994
PT2 32/230	0.75	3~400-415	DN 32	A037-032-230-01	C	BC	808
PT2 32/250	1.5	3~400-415	DN 32	A024-032-250-01	C	BC	1 108
PT2 32/320	2.2	3~400-415	DN 32	A024-032-320-01	C	BC	1 197
PT2 32/380	3.0	3~400-415	DN 32	A024-032-380-01	C	BC	1 299
PT2 32/460	4.0	3~400-415	DN 32	A024-032-460-01	C	BC	1 337
PT2 32/580	5.5	3~400-415	DN 32	A024-032-580-01	C	BC	1 656
PT2 40/50	0.12	3~400-415	DN 40	A040-040-050-01	C	BC	535
PT2 40/60	0.25	3~400-415	DN 40	A037-040-060-01	C	BC	579
PT2 40/90	0.25	3~400-415	DN 40	A040-040-090-01	C	BC	605
PT2 40/120	0.37	3~400-415	DN 40	A037-040-120-01	C	BC	728
PT2 40/180	0.55	3~400-415	DN 40	A037-040-180-01	C	BC	862
PT2 40/190	0.75	3~400-415	DN 40	A037-040-190-01	C	BC	890
PT2 40/230	1.1	3~400-415	DN 40	A037-040-230-01	C	BC	919
PT2 40/240	2.2	3~400-415	DN 40	A024-040-240-01	C	BC	1 274
PT2 40/270	1.5	3~400-415	DN 40	A037-040-270-01	C	BC	1 003
PT2 40/300	3.0	3~400-415	DN 40	A024-040-300-01	C	BC	1 350
PT2 40/360	4.0	3~400-415	DN 40	A024-040-360-01	C	BC	1 528
PT2 40/470	5.5	3~400-415	DN 40	A024-040-580-01	C	BC	1 987
PT2 40/580	7.5	3~400-415	DN 40	A024-040-580-01	C	BC	2 114

PT2 POMPY LINIOWE STANDARDOWE

n=2900min⁻¹ USZCZELNIENIE MECHANICZNE BAQE



Typ pompy	Silnik [kW]	Napięcie [V]	Przyłącza	Numer katalogowy	Kategoria dostaw	Grupa rabatowa	Cena EUR
PT2 50/60	0.37	3~400-415	DN 50	A037-050-060-01	C	BC	728
PT2 50/120	0.75	3~400-415	DN 50	A037-050-120-01	C	BC	894
PT2 50/160	1.1	3~400-415	DN 50	A024-050-160-02	C	BC	1 129
PT2 50/180	0.75	3~400-415	DN 50	A037-050-180-01	C	BC	1 009
PT2 50/190	1.5	3~400-415	DN 50	A024-050-190-01	C	BC	1 223
PT2 50/240	2.2	3~400-415	DN 50	A024-050-240-01	C	BC	1 279
PT2 50/290	3.0	3~400-415	DN 50	A024-050-290-01	C	BC	1 363
PT2 50/360	4.0	3~400-415	DN 50	A024-050-360-01	C	BC	1 566
PT2 50/430	5.5	3~400-415	DN 50	A024-050-430-01	C	BC	2 073
PT2 50/440	7.5	3~400-415	DN 50	A024-050-440-01	C	BC	2 165
PT2 50/570	11.0	3~400-415	DN 50	A024-050-570-01	C	BC	2 929
PT2 50/710	15.0	3~400-415	DN 50	A024-050-710-01	C	BC	3 107
PT2 50/830	18.5	3~400-415	DN 50	A024-050-830-01	C	BC	3 897
PT2 50/900	22.0	3~400-415	DN 50	A024-050-900-01	C	BC	4 483
PT2 65/60	0.55	3~400-415	DN 65	A037-065-060-01	C	BC	895
PT2 65/120	1.1	3~400-415	DN 65	A037-065-120-01	C	BC	1 127
PT2 65/180	1.5	3~400-415	DN 65	A037-065-180-01	C	BC	1 227
PT2 65/190	2.2	3~400-415	DN 65	A024-065-190-01	C	BC	1 284
PT2 65/230	3.0	3~400-415	DN 65	A024-065-230-01	C	BC	1 375
PT2 65/260	4.0	3~400-415	DN 65	A024-065-260-01	C	BC	1 574
PT2 65/340	5.5	3~400-415	DN 65	A024-065-340-01	C	BC	2 114
PT2 65/410	7.5	3~400-415	DN 65	A024-065-410-01	C	BC	2 216
PT2 65/460	11.0	3~400-415	DN 65	A024-065-460-01	C	BC	2 980
PT2 65/550	15.0	3~400-415	DN 65	A024-065-550-01	C	BC	3 515
PT2 65/660	18.5	3~400-415	DN 65	A024-065-660-01	C	BC	4 177
PT2 65/720	22.0	3~400-415	DN 65	A024-065-720-01	C	BC	4 668
PT2 65/930	30.0	3~400-415	DN 65	A024-065-930-01	C	BC	5 437
PT2 80/120 PN6	1.5	3~400-415	DN 80	A037-080-120-01	C	BC	1 426
PT2 80/120 PN10	1.5	3~400-415	DN 80	A037-080-120-02	C	BC	1 426
PT2 80/140	2.2	3~400-415	DN 80	A024-080-140-01	C	BC	1 350
PT2 80/180	3.0	3~400-415	DN 80	A024-080-180-01	C	BC	1 477
PT2 80/210	4.0	3~400-415	DN 80	A024-080-210-01	C	BC	1 658
PT2 80/240	5.5	3~400-415	DN 80	A024-080-240-01	C	BC	2 139
PT2 80/250	7.5	3~400-415	DN 80	A024-080-250-01	C	BC	2 267
PT2 80/330	11.0	3~400-415	DN 80	A024-080-330-01	C	BC	3 057
PT2 80/400	15.0	3~400-415	DN 80	A024-080-400-01	C	BC	3 067
PT2 80/520	18.5	3~400-415	DN 80	A024-080-520-01	C	BC	3 856
PT2 80/570	22.0	3~400-415	DN 80	A024-080-570-01	C	BC	4 840
PT2 80/700	30.0	3~400-415	DN 80	A024-080-700-01	C	BC	5 515
PT2 100/120 PN6	2.2	3~400-415	DN 100	A037-100-120-01	C	BC	1 796
PT2 100/120 PN10	2.2	3~400-415	DN 100	A037-100-120-02	C	BC	1 796
PT2 100/160	4.0	3~400-415	DN 100	A024-100-160-01	C	BC	1 572
PT2 100/200	5.5	3~400-415	DN 100	A024-100-200-01	C	BC	1 978
PT2 100/240	7.5	3~400-415	DN 100	A024-100-240-01	C	BC	2 059
PT2 100/250	11.0	3~400-415	DN 100	A024-100-250-01	C	BC	3 158
PT2 100/310	15.0	3~400-415	DN 100	A024-100-310-01	C	BC	3 566
PT2 100/360	18.5	3~400-415	DN 100	A024-100-360-01	C	BC	4 330
PT2 100/390	22.0	3~400-415	DN 100	A024-100-390-01	C	BC	4 941
PT2 100/480	30.0	3~400-415	DN 100	A024-100-480-01	C	BC	5 604
PT2 100/620	37.0	3~400-415	DN 125/DN 100	A039-100-620-01	C	BC	14 241
PT2 100/700	45.0	3~400-415	DN 125/DN 100	A039-100-700-01	C	BC	15 360
PT2 100/820	55.0	3~400-415	DN 125/DN 100	A039-100-820-01	C	BC	16 131
PT2 100/960	75.0	3~400-415	DN 125/DN 100	A039-100-960-01	C	BC	18 695
PT2 100/1050	75.0	3~400-415	DN 125/DN 100	A039-100-1050-01	C	BC	20 630
PT2 100/1180	90.0	3~400-415	DN 125/DN 100	A039-100-1180-01	C	BC	19 915
PT2 100/1400	110.0	3~400-415	DN 125/DN 100	A039-100-1400-01	C	BC	24 897
PT2 100/1530	132.0	3~400-415	DN 125/DN 100	A039-100-1530-01	C	BC	27 222
PT2 100/1680	160.0	3~400-415	DN 125/DN 100	A039-100-1680-01	C	BC	30 652