



# mPML1

## POMPY LINIOWE STANDARDOWE

n=1450min<sup>-1</sup> USZCZELNIENIE MECHANICZNE (WYKONANIE BRĄZOWE)

Typ pompy	Silnik [kW]	Napięcie [V]	Przyłącza	Numer katalogowy	Kategoria dostaw	Grupa rabatowa	Cena PLN
mPML1 40/100	0.12	3~230-240/400-415	DN 40	A122-040-100-01	C	BC	CENY NA ZAPYTANIE
mPML1 40/110	0.12	3~230-240/400-415	DN 40	A122-040-110-01	C	BC	
mPML1 40/120	0.18	3~230-240/400-415	DN 40	A122-040-120-01	C	BC	
mPML1 40/140	0.25	3~230-240/400-415	DN 40	A122-040-140-01	C	BC	
mPML1 40/150	0.25	3~230-240/400-415	DN 40	A122-040-150-01	C	BC	
mPML1 40/160	0.37	3~230-240/400-415	DN 40	A122-040-160-01	C	BC	
mPML1 50/110	0.18	3~230-240/400-415	DN 50	A122-050-110-01	C	BC	
mPML1 50/120	0.18	3~230-240/400-415	DN 50	A122-050-120-01	C	BC	
mPML1 50/130	0.25	3~230-240/400-415	DN 50	A122-050-130-01	C	BC	
mPML1 50/140	0.25	3~230-240/400-415	DN 50	A122-050-140-01	C	BC	
mPML1 50/150	0.37	3~230-240/400-415	DN 50	A122-050-150-01	C	BC	
mPML1 50/160	0.37	3~230-240/400-415	DN 50	A122-050-160-01	C	BC	
mPML1 50/170	0.55	3~230-240/400-415	DN 50	A122-050-170-01	C	BC	
mPML1 50/180	0.55	3~230-240/400-415	DN 50	A122-050-180-01	C	BC	
mPML1 50/190	0.75	3~230-240/400-415	DN 50	A122-050-190-01	C	BC	
mPML1 50/200	0.75	3~230-240/400-415	DN 50	A122-050-200-01	C	BC	
mPML1 65/100	0.18	3~230-240/400-415	DN 65	A122-065-100-01	C	BC	
mPML1 65/110	0.25	3~230-240/400-415	DN 65	A122-065-110-01	C	BC	
mPML1 65/120	0.25	3~230-240/400-415	DN 65	A122-065-120-01	C	BC	
mPML1 65/140	0.55	3~230-240/400-415	DN 65	A122-065-140-01	C	BC	
mPML1 65/150	0.55	3~230-240/400-415	DN 65	A122-065-150-01	C	BC	
mPML1 65/160	0.75	3~230-240/400-415	DN 65	A122-065-160-01	C	BC	
mPML1 65/170	1.1	3~230-240/400-415	DN 65	A122-065-170-01	C	BC	
mPML1 65/180	1.1	3~230-240/400-415	DN 65	A122-065-180-01	C	BC	
mPML1 65/190	1.1	3~230-240/400-415	DN 65	A122-065-190-01	C	BC	
mPML1 65/200	1.5	3~400-415	DN 65	A122-065-200-01	C	BC	
mPML1 80/130	0.75	3~230-240/400-415	DN 80	A122-080-130-01	C	BC	
mPML1 80/140	1.1	3~230-240/400-415	DN 80	A122-080-140-01	C	BC	
mPML1 80/150	1.1	3~230-240/400-415	DN 80	A122-080-150-01	C	BC	
mPML1 80/160	1.5	3~400-415	DN 80	A122-080-160-01	C	BC	
mPML1 80/170	1.5	3~400-415	DN 80	A122-080-170-01	C	BC	
mPML1 80/180	1.5	3~400-415	DN 80	A122-080-180-01	C	BC	
mPML1 80/190	2.2	3~400-415	DN 80	A122-080-190-01	C	BC	
mPML1 80/200	2.2	3~400-415	DN 80	A122-080-200-01	C	BC	
mPML1 100/140	1.1	3~230-240/400-415	DN 100	A122-100-140-01	C	BC	
mPML1 100/150	1.1	3~230-240/400-415	DN 100	A122-100-150-01	C	BC	
mPML1 100/160	1.5	3~400-415	DN 100	A122-100-160-01	C	BC	
mPML1 100/170	2.2	3~400-415	DN 100	A122-100-170-01	C	BC	
mPML1 100/180	2.2	3~400-415	DN 100	A122-100-180-01	C	BC	
mPML1 100/190	3.0	3~400-415	DN 100	A122-100-190-01	C	BC	
mPML1 100/200	3.0	3~400-415	DN 100	A122-100-200-01	C	BC	

### mPML2

#### POMPY LINIOWE STANDARDOWE

n=2900min<sup>-1</sup> USZCZELNIENIE MECHANICZNE (WYKONANIE BRĄZOWE)



Typ pompy	Silnik [kW]	Napięcie [V]	Przyłącza	Numer katalogowy	Kategoria dostaw	Grupa rabatowa	Cena PLN
mPML2 40/100	0.55	3~230-240/400-415	DN 40	A123-040-100-01	C	BC	CENY NA ZAPYTANIE
mPML2 40/110	0.75	3~230-240/400-415	DN 40	A123-040-110-01	C	BC	
mPML2 40/120	1.1	3~230-240/400-415	DN 40	A123-040-120-01	C	BC	
mPML2 40/130	1.1	3~230-240/400-415	DN 40	A123-040-130-01	C	BC	
mPML2 40/140	1.5	3~400-415	DN 40	A123-040-140-01	C	BC	
mPML2 40/150	1.5	3~400-415	DN 40	A123-040-150-01	C	BC	
mPML2 40/160	2.2	3~400-415	DN 40	A123-040-160-01	C	BC	
mPML2 50/90	0.55	3~230-240/400-415	DN 50	A123-050-090-01	C	BC	
mPML2 50/100	0.75	3~230-240/400-415	DN 50	A123-050-100-01	C	BC	
mPML2 50/110	1.1	3~230-240/400-415	DN 50	A123-050-110-01	C	BC	
mPML2 50/120	1.1	3~230-240/400-415	DN 50	A123-050-120-01	C	BC	
mPML2 50/130	1.5	3~400-415	DN 50	A123-050-130-01	C	BC	
mPML2 50/140	2.2	3~400-415	DN 50	A123-050-140-01	C	BC	
mPML2 50/150	2.2	3~400-415	DN 50	A123-050-150-02	C	BC	
mPML2 50/160	3.0	3~400-415	DN 50	A123-050-160-01	C	BC	
mPML2 50/180	5.5	3~400-415/660-690	DN 50	A123-050-180-01	C	BC	
mPML2 50/190	5.5	3~400-415/660-690	DN 50	A123-050-190-01	C	BC	
mPML2 50/200	5.5	3~400-415/660-690	DN 50	A123-050-200-01	C	BC	
mPML2 65/100	1.1	3~230-240/380-400	DN 65	A123-065-100-01	C	BC	
mPML2 65/110	1.5	3~400-415	DN 65	A123-065-110-01	C	BC	
mPML2 65/120	2.2	3~400-415	DN 65	A123-065-120-01	C	BC	
mPML2 65/130	3.0	3~400-415	DN 65	A123-065-130-01	C	BC	
mPML2 65/140	4.0	3~400-415	DN 65	A123-065-140-01	C	BC	
mPML2 65/150	5.5	3~400-415/660-690	DN 65	A123-065-150-01	C	BC	
mPML2 65/160	5.5	3~400-415/660-690	DN 65	A123-065-160-01	C	BC	
mPML2 65/170	7.5	3~400-415/660-690	DN 65	A123-065-170-01	C	BC	
mPML2 65/180	11.0	3~400-415/660-690	DN 65	A123-065-180-01	C	BC	
mPML2 65/190	11.0	3~400-415/660-690	DN 65	A123-065-190-01	C	BC	
mPML2 65/200	11.0	3~400-415/660-690	DN 65	A123-065-200-01	C	BC	
mPML2 80/130	5.5	3~400-415/660-690	DN 80	A123-080-130-01	C	BC	
mPML2 80/140	7.5	3~400-415/660-690	DN 80	A123-080-140-01	C	BC	
mPML2 80/150	7.5	3~400-415/660-690	DN 80	A123-080-150-01	C	BC	
mPML2 80/160	11.0	3~400-415/660-690	DN 80	A123-080-160-01	C	BC	
mPML2 80/170	11.0	3~400-415/660-690	DN 80	A123-080-170-01	C	BC	
mPML2 80/180	11.0	3~400-415/660-690	DN 80	A123-080-180-01	C	BC	
mPML2 80/190	15.0	3~400-415/660-690	DN 80	A123-080-190-01	C	BC	
mPML2 80/200	15.0	3~400-415/660-690	DN 80	A123-080-200-01	C	BC	
mPML2 100/140	5.5	3~400-415/660-690	DN 100	A123-100-140-01	C	BC	
mPML2 100/150	7.5	3~400-415/660-690	DN 100	A123-100-150-01	C	BC	
mPML2 100/160	11.0	3~400-415/660-690	DN 100	A123-100-160-01	C	BC	
mPML2 100/170	15.0	3~400-415/660-690	DN 100	A123-100-170-01	C	BC	
mPML2 100/180	18.5	3~400-415/660-690	DN 100	A123-100-180-01	C	BC	
mPML2 100/190	22.0	3~400-415/660-690	DN 100	A123-100-190-01	C	BC	
mPML2 100/200	22.0	3~400-415/660-690	DN 100	A123-100-200-01	C	BC	